INDEX TO AUTHORS

A

ARMSTRONG, CLAY M., and BEZANILLA, FRANCISCO. Charge movement associated with the opening and closing of the activation gates of the sodium channels, 533

B

BANE, SUSAN. See JACKSON, SHIAU, BANE, and FOX, 187

BARLOW, ROBERT B., JR., and LANGE, G. DAVID. A nonlinearity in the inhibitory interactions in the lateral eye of *Limulus*, 579

BASTIAN, JOSEPH, and NAKAJIMA, SHIGEHIRO. Action potential in the transverse tubules and its role in the activation of skeletal muscle, 257

—. See NAKAJIMA and BASTIAN, 235

BEGENISICH, TED, and LYNCH, CARL. Effects of internal divalent cations on voltage-clamped squid axons, 675

BEZANILLA, FRANCISCO. See ARMSTRONG and BEZANILLA, 533

BLAUSTEIN, M. P. See RUSSELL and BLAUSTEIN, 144

BLUMENTHAL, ROBERT. See Ehrenstein, BLUMENTHAL, LATORRE, and LECAR, 707

BOYETT, JUNE D. See VAN BRUGGEN, BOYETT, VAN BEUREN, and GALEY, 639

BRANDT, P. W. See ORENTLICHER, REUBEN, GRUNDFEST, and BRANDT, 168

BRECKENRIDGE, BRUCE McL. See MIYAMOTO and BRECKENRIDGE, 609

BROWN, J. E., and MOTE, M. I. Ionic dependence of reversal voltage of the light response in *Limulus* ventral photoreceptors, 337

BULLARD, BELINDA. See LEHMAN, BULLARD, and HAMMOND, 553

C

CAZORT, RALPH J. See OLSON and CAZORT, 590

CLAUSEN, C. See VALDIOSERA, CLAUSEN, and EISENBERG, 432, 460

COPENHAGEN, DAVID R. See WERBLIN and COPENHAGEN, 88

COSTANTIN, L. L. Contractile activation in frog skeletal muscle, 657

D

DAW, N. W., and PEARLMAN, A. L. Pigment migration and adaptation in the eye of the squid, *Loligo pealei*, 22

DUNHAM, PHILIP B. See SACHS, ELLORY, KROPP, DUNHAM, and HOFFMAN, 389

E

EATON, DOUGLAS C. See HAGIWARA, FUKUDA, and EATON, 564

EHRENSTEIN, GERALD, BLUMENTHAL, ROBERT, LATORRE, RAMON, and LECAR, HAROLD. Kinetics of the opening and closing of individual excitability-inducing material channels in a lipid bilayer, 707

EISENBERG, R. S. See VALDIOSERA, CLAUSEN, and EISENBERG, 432, 460

—. See MOBLEY, LEUNG, and EISENBERG, 625

ELLORY, J. CLIVE. See SACHS, ELLORY, KROPP, DUNHAM, and HOFFMAN, 389

F

FOX, MARGARET. See JACKSON, SHIAU, BANE, and FOX, 187

FUKUDA, JUN. See HAGIWARA, FUKUDA, and EATON, 564

G

GALEY, WILLIAM R. See VAN BRUGGEN, BOYETT, VAN BEUREN, and GALEY, 639

GARCÍA, H. See UCHITEL and GARCÍA, 111

GARY BOBO, C. M. See LANGE and GARY BOBO, 690

GISIN, B. F., See TING-BEALL, TOSTESON, GISIN, and TOSTESON, 492

GODT, ROBERT E. Calcium-activated tension of skinned muscle fibers of the frog. Dependence on magnesium adenosine triphosphate concentration, 722

GRUNDFEST, H. See ORENTLICHER, REUBEN, GRUNDFEST, and BRANDT, 168

H

HAGIWARA, SUSUMU, FUKUDA, JUN, and EATON, DOUGLAS C. Membrane currents carried by calcium, strontium, and barium in barnacle muscle fiber during voltage clamp, 564

HAMMOND, KATHLEEN. See LEHMAN, BULLARD, and HAMMOND, 553
HÁROSI, FERENC I., and MACNICHOL, EDWARD F., JR. Visual pigments of goldfish cones. Spectral properties and dichroism, 279
HOFFMAN, JOSEPH F. See KNAUF, PROVERBIO, and HOFFMAN, 305, 324
—. See SACHS, ELLORY, KROPP, DUNHAM, and HOFFMAN, 389

J

JACKSON, MICHAEL J., SHIAU, YIH-FU, BANE, SUSAN, and FOX, MARGARET. Intestinal transport of weak electrolytes. Evidence in favor of a three-compartment system, 187
JESAITIS, A. J. Linear dichroism and orientation of the *Phycomyces* photopigment, 1

K

KNAUF, PHILIP A., PROVERBIO, FULGENCIO, and HOFFMAN, JOSEPH F. Chemical characterization and Pronase susceptibility of the sodium:potassium pump-associated phosphoprotein of human red blood cells, 305
—, —, and —. Electrophoretic separation of different phosphoproteins associated with calcium-ATPase and sodium, potassium-ATPase in human red cell ghosts, 324
KNIGHT, ANNE B., and WELT, LOUIS G. Intracellular potassium. A determinant of the sodium-potassium pump rate, 351
KROPP, DONNA L. See SACHS, ELLORY, KROPP, DUNHAM, and HOFFMAN, 389

L

LANGE, G. DAVID. See BARLOW AND LANGE, 579
LANGE, Y. and GARY BOBO, C. M. Ion diffusion selectivity in lecithin-water lamellar phases, 690
LATORRE, RAMON. See EHRENSTEIN, BLUMENTHAL, LATORRE, and LECAR, 707
LECAR, HAROLD. See EHRENSTEIN, BLUMENTHAL, LATORRE, and LECAR, 707
LEHMAN, WILLIAM, BULLARD, BELINDA, and HAMMOND, KATHLEEN. Calcium-dependent myosin from insect flight muscles, 553
LEUNG, J. See MOBLEY, LEUNG, and EISENBERG, 625
LIDINGTON, KELLIE J. See PAK and LIDINGTON, 740
LYNCH, CARL. See BEGENISICH and LYNCH, 675

M

MACNICHOL, EDWARD F., JR. See HÁROSI and MACNICHOL, 279
MALCOLM, RICHARD. A mechanism by which the hair cells of the inner ear transduce mechanical energy into a modulated train of action potentials, 757
MIYAMOTO, MICHAEL D., and BRECKENRIDGE, BRUCE MCL. A cyclic adenosine monophosphate link in the catecholamine enhancement of transmitter release at the neuromuscular junction, 609
MOBLEY, BERT A., LEUNG, J., and EISENBERG, R. S. Longitudinal impedance of skinned frog muscle fibers, 625
MOTE, M. I. See BROWN and MOTE, 337

N

NAKAJIMA, SHIGEHIRO, and BASTIAN, JOSEPH. Double sucrose-gap method applied to single muscle fiber of *Xenopus laevis*, 235
—. See BASTIAN and NAKAJIMA, 257
NAKAMURA, MASAHISA, and YASUMASU, IKUO. Mechanism for increase in intracellular concentration of free calcium in fertilized sea urchin egg. A method for estimating intracellular concentration of free calcium, 374
NORMANN, RICHARD A., and WERBLIN, FRANK S. Control of retinal sensitivity. I. Light and dark adaptation of vertebrate rods and cones, 37

O

OLSON, ERIK J., and CAZORT, RALPH J. Investigation of the accompaniment of calcium during active calcium transport from human erythrocyte ghosts, 590
ORENTLICHER, M., REUBEN, J. P., GRUNDFEST, H., and BRANDT, P. W. Calcium binding and tension development in detergent-treated muscle fibers, 168

P

PAK, WILLIAM L., and LIDINGTON, KELLIE J. Fast electrical potential from a long-lived, long-wavelength photoproduct of the fly visual pigment, 740

PEARLMAN, A. L. See DAW and PEARLMAN, 22
PODOLSKY, RICHARD J. See THAMES, TEICHHOLZ, and PODOLSKY, 509
PROVERBIO, FULGENCIO. See KNAUF, PROVERBIO, and HOFFMAN, 305, 324

R

REUBEN, J. P. See ORENTLICHER, REUBEN, GRUNDFEST, and BRANDT, 168
RUSSELL, J. M., and BLAUSTEIN, M. P. Calcium efflux from barnacle muscle fibers. Dependence on external cations, 144

S

SACHS, JOHN R. Interaction of external potassium, sodium, and cardioactive steroids with the sodium-potassium pump of the human red blood cell, 123
—, ELLORY, J. CLIVE, KROPP, DONNA L., DUNHAM, PHILIP B., and HOFFMAN, JOSEPH F. Antibody-induced alterations in the kinetic characteristics of the sodium:potassium pump in goat red blood cells, 389
SCHIFF, JOEL D. Role of the sympathetic innervation of the pacinian corpuscle, 601
SHIAU, YIH-FU. See JACKSON, SHIAU, BANE, and FOX, 187

T

TEICHHOLZ, LOUIS E. See THAMES, TEICHHOLZ, and Podolsky, 509
THAMES, MARC D., TEICHHOLZ, LOUIS E., and PODOLSKY, RICHARD J. Ionic strength and the contraction kinetics of skinned muscle fibers, 509
TING-BEALL, H. P., TOSTESON, M. T., GISIN, B. F., and TOSTESON, D. C. Effect of peptide PV on the ionic permeability of lipid bilayer membranes, 492
TOSTESON, D. C. See TING-BEALL, TOSTESON, GISIN, and TOSTESON, 492
TOSTESON, M. T. See TING-BEALL, TOSTESON, GISIN, and TOSTESON, 492
TOYODA, JUN-ICHI. Frequency characteristics of retinal neurons in the carp, 214

U

UCHITEL, O. D., and GARCÍA, H. Muscle contraction during hyperpolarizing currents in the crab, 111

V

VALDIOSERA, R., CLAUSEN, C., and EISENBERG, R. S. Circuit models of the passive electrical properties of frog skeletal muscle fibers, 432
—, —, and —. Impedance of frog skeletal muscle fibers in various solutions, 460
VAN BEUREN, ANTONIA L. See VAN BRUGGEN, BOYETT, VAN BEUREN, and GALEY, 639
VAN BRUGGEN, JOHN T., BOYETT, JUNE D., VAN BUEREN, ANTONIA L., and GALEY, WILLIAM R. Solute flux coupling in a homopore membrane, 639

W

WASHIO, HIROSHI. Effect of external calcium and of temperature on contraction in snake muscle fibers, 415
WELT, LOUIS G. See KNIGHT and WELT, G., 351
WERBLIN, FRANK S. Control of retinal sensitivity. II. Lateral interactions at the outer plexiform layer, 62
—, and COPENHAGEN, DAVID R. III. Lateral interactions at the inner plexiform layer, 88
—. See NORMANN and WERBLIN, 37

Y

YASUMASU, IKUO. See NAKAMURA and YASUMASU, 374

INDEX TO SUBJECTS

A

Action potential in transverse tubules and its role in activation of skeletal muscle, 257
— potentials, modulated train, mechanism by which hair cells of inner ear transduce, 757
Activation, contractile, in frog skeletal muscle, 657
— gates of sodium channels, charge movement associated with opening and closing of, 533
— of skeletal muscle, action potential in transverse tubules and its role in, 257
Active calcium transport from human erythrocyte ghosts, investigation of accompaniment of calcium during, 590
Adaptation, light and dark, of vertebrate rods and cones, control of retinal sensitivity, 37
— and pigment migration in eye of squid, *Loligo pealei*, 22
Adenosine monophosphate, cyclic, link in catecholamine enhancement of transmitter release at neuromuscular junction, 609
— triphosphatase, calcium-, and sodium, potassium-ATPase in human red cell ghosts, electrophoretic separation of different phosphoproteins associated with, 324
— triphosphate concentration, magnesium, dependence on, calcium-activated tension of skinned, muscle fibers of frog, 722
Antibody-induced alterations in kinetic characteristics of sodium:potassium pump in goat red blood cells, 389
Axons, voltage-clamped squid, effects of internal divalent cations on, 675

B

Barium, calcium, and strontium in barnacle muscle fiber during voltage clamp, membrane currents carried by, 564
Bilayer, lipid, kinetics of opening and closing of individual excitability-inducing material channels in, 707
— membranes, lipid, effect of peptide PV on ionic permeability of, 492
Binding, calcium, and tension development in detergent-treated muscle fibers, 168
Blood cells, red. *See* Erythrocytes.

C

Calcium binding and tension development in detergent-treated muscle fibers, 168
—, effect of external, and of temperature on contraction in snake muscle fibers, 415
— efflux from barnacle muscle fibers, dependence on external cations, 144
—, free, in fertilized sea urchin egg, mechanism for increase in intracellular concentration of, method for estimating intracellular concentration of free calcium, 374
—, investigation of accompaniment of, during active calcium transport from human erythrocyte ghosts, 590
—, strontium, and barium in barnacle muscle fiber during voltage clamp, membrane currents carried by, 564
— transport, active, from human erythrocyte ghosts, investigation of accompaniment of calcium during, 590
Calcium-activated tension of skinned muscle fibers of frog, dependence on magnesium adenosine triphosphate concentration, 722
Calcium-ATPase and sodium, potassium-ATPase in human red cell ghosts, electrophoretic separation of different phosphoproteins associated with, 324
Calcium-dependent myosin from insect flight muscles, 553
Cardioactive steroids, potassium, and sodium, external, interaction with sodium-potassium pump of human red blood cell, 123
Catecholamine enhancement of transmitter release at neuromuscular junction, cyclic adenosine monophosphate link in, 609
Cells, red blood. *See* Erythrocytes.
Channels, individual excitability-inducing material, in lipid bilayer, kinetics of opening and closing of, 707
—, sodium, charge movement associated with opening and closing of activation gates of, 535

Charge movement associated with opening and closing of activation gates of sodium channels, 533
Chemical characterization and Pronase susceptibility of the sodium:potassium pump-associated phosphoprotein of human red blood cells, 305
Circuit models of passive electrical properties of frog skeletal muscle fibers, 432
Clamp, voltage, membrane currents carried by calcium, strontium, and barium in barnacle muscle fiber during, 564
Clamped, voltage-, squid axons, effects of internal divalent cations on, 675
Closing and opening of activation gates of sodium channels, charge movement associated with, 533
— and opening of individual excitability-inducing material channels in lipid bilayer, kinetics of, 707
Compartment, three-, system, evidence in favor of, intestinal transport of weak electrolytes, 187
Cones, goldfish, visual pigments of, spectral properties and dichroism, 279
— and rods, vertebrate, light and dark adaptation, control of retinal sensitivity, 37
Contractile activation in frog skeletal muscle, 657
Contraction kinetics and ionic strength of skinned muscle fibers, 509
—, muscle, during hyperpolarizing currents in crab, 111
— in snake muscle fibers, effect of external calcium and of temperature on, 415
Corpuscle, pacinian, role of sympathetic innervation of, 601
Coupling, solute flux, in homopore membrane, 639
Cyclic adenosine monophosphate link in catecholamine enhancement of transmitter release at neuromuscular junction, 609

D

Dark and light adaptation of vertebrate rods and cones, control of retinal sensitivity, 37
Detergent-treated muscle fibers, calcium binding and tension development, 168
Dichroism, linear, and orientation of the *Phycomyces* photopigment, 1
— and properties, spectral, visual pigments of goldfish cones, 279
Divalent, internal cations, effects of, on voltage-clamped squid axons, 675

E

Ear inner, hair cells, mechanism by which transduce mechanical energy into modulated train of action potentials, 757
Efflux, calcium, from barnacle muscle fibers, dependence on external cations, 144
Egg, fertilized sea urchin, mechanism for increase in intracellular concentration of free calcium in, method for estimating intracellular concentration of free calcium, 374
Electrolytes, weak, intestinal transport of, evidence in favor of three-compartment system, 187
Electrophoretic separation of different phosphoproteins associated with calcium-ATPase and sodium,potassium-ATPase in human red cell ghosts, 324
Energy, mechanical, into modulated train of action potentials, mechanism by which hair cells of inner ear transduce, 757
Erythrocyte ghosts, human, electrophoretic separation of different phosphoproteins associated with calcium-ATPase and sodium, potassium-ATPase in, 324
— ghosts, human, investigation of accompaniment of calcium during active calcium transport from, 590
—, human, sodium-potassium pump, interaction of external potassium, sodium, and cardioactive steroids with, 123
Erythrocytes, goat, antibody-induced alterations in kinetic characteristics of sodium:potassium pump in, 389
—, human, chemical characterization and Pronase susceptibility of sodium:potassium pump-associated phosphoprotein of, 305
Excitability-inducing material, individual channels in lipid bilayer, kinetics of opening and closing of, 707
Eye, lateral, of *Limulus*, nonlinearity in inhibitory interactions in, 579
—, squid, *Loligo pealei*, pigment migration and adaptation, 22

F

Fiber, barnacle muscle, during voltage clamp, membrane currents carried by calcium, strontium, and barium in, 564
—, single muscle, of *Xenopus laevis*, double sucrose-gap method applied to, 235

Fibers, barnacle muscle, calcium efflux from, dependence on external cations, 144
—, frog skeletal muscle, circuit models of passive electrical properties of, 432
—, frog skeletal muscle, in various solutions, impedance of, 460
—, muscle, detergent-treated, calcium binding and tension development, 168
—, skinned frog muscle, calcium-activated tension of, dependence on magnesium adenosine triphosphate, 722
—, skinned frog muscle, longitudinal impedance of, 625
—, skinned muscle, ionic strength and contraction kinetics of, 509
—, snake muscle, effect of external calcium and of temperature on contraction in, 415
Flight muscles, insect, calcium-dependent myosin from, 553
Frequency characteristics of retinal neurons in carp, 214

G

Gap, double sucrose-, method applied to single muscle fiber of *Xenopus laevis*, 235
Gates, activation, of sodium channels, charge movement associated with opening and closing of, 533
Ghosts, human erythrocyte, investigation of accompaniment of calcium during active calcium transport from, 590
—, human red cell, electrophoretic separation of different phosphoproteins associated with calcium-ATPase and sodium, potassium-ATPase in, 324

H

Hair cells of inner ear, mechanism by which transduce mechanical energy into modulated train of action potentials, 757
Homopore membrane, solute flux coupling in, 639

I

Impedance of frog skeletal muscle fibers in various solutions, 460
—, longitudinal, of skinned frog muscle fibers, 625
Inhibitory interactions in lateral eye of *Limulus*, nonlinearity in, 579
Innervation, sympathetic, of pacinian corpuscle, role of, 601
Insect flight muscles, calcium-dependent myosin from, 553
Intestinal transport of weak electrolytes, evidence in favor of three-compartment system, 187

J

Junction, neuromuscular, cyclic adenosine monophosphate link in catecholamine enhancement of transmitter release at, 609

L

Lamellar phases, lecithin-water, ion diffusion selectivity in, 690
Lateral eye of *Limulus*, nonlinearity in inhibitory interactions in, 579
— interactions at inner plexiform layer, control of retinal sensitivity, 88
— interactions at outer plexiform layer, control of retinal sensitivity, 62
Layer, inner plexiform, lateral interactions, control of retinal sensitivity, 88
—, outer plexiform, lateral interactions, control of retinal sensitivity, 62
Lecithin-water lamellar phases, ion diffusion selectivity in, 690
Light and dark adaptation of vertebrate rods and cones, control of retinal sensitivity, 37
— response in *Limulus* ventral photoreceptors, ionic dependence of reversal voltage of, 337
Limulus, lateral eye, nonlinearity in inhibitory interactions in, 579
— ventral photoreceptors, ionic dependence of reversal voltage of light response in, 337
Linear dichroism and orientation of the *Phycomyces* photopigment, 1
Lipid bilayer, kinetics of opening and closing of individual excitability-inducing material channels in, 707
— bilayer membranes, effect of peptide PV on ionic permeability of, 492
Loligo pealei, pigment migration and adaptation in eye of squid, 22
Longitudinal impedance of skinned frog muscle fibers, 625
Long-lived, long-wavelength photoproduct of fly visual pigment, fast electrical potential from, 740

M

Magnesium adenosine triphosphate concentration, dependence on, calcium-activated tension of skinned muscle fibers of frog, 722

Man, erythrocyte ghosts, investigation of accompaniment of calcium during active calcium transport from, 590
—, red blood cell, sodium potassium pump of, interaction of external potassium, sodium, and cardioactive steroids with, 123
—, red blood cells, chemical characterization and Pronase susceptibility of sodium: potassium pump-associated phosphoprotein of, 305
—, red cell ghosts, electrophoretic separation of different phosphoproteins associated with calcium-ATPase and sodium, potassium-ATPase in, 324
Mechanical energy into modulated train of action potentials, mechanism by which hair cells of inner ear transduce, 757
Membrane currents carried by calcium, strontium, and barium in barnacle muscle fiber during voltage clamp, 564
—, homopore, solute flux coupling in, 639
Membranes, lipid bilayer, effect of peptide PV on ionic permeability of, 492
Migration of pigment and adaptation in eye of squid, *Loligo pealei*, 22
Models, circuit, of passive electrical properties of frog skeletal muscle fibers, 432
Modulated train of action potentials, mechanism by which hair cells of inner ear transduce mechanical energy into, 757
Monophosphate, cyclic adenosine, link in catecholamine enhancement of transmitter release at neuromuscular junction, 609
Muscle contraction during hyperpolarizing currents in crab, 111
— fiber, barnacle, during voltage clamp, membrane currents carried by calcium, strontium, and barium in, 564
— fiber, single, of *Xenopus laevis*, double sucrose-gap method applied to, 235
— fibers, barnacle, calcium efflux from, dependence on external cations, 144
— fibers, detergent-treated, calcium binding and tension development, 168
— fibers, frog skeletal, circuit models of passive electrical properties of, 432
— fibers, frog skeletal, in various solutions, impedance of, 460
— fibers, skinned frog, calcium-activated tension of, dependence on magnesium adenosine triphosphate, 722
— fibers, skinned frog, longitudinal impedance of, 625
Muscle contraction during hyperpolarizing currents in crab, fibers, skinned, ionic strength and contraction kinetics of, 509
— fibers, snake, effect of external calcium and of temperature on contraction in, 415
—, frog skeletal, contractile activation in, 657
—, skeletal, activation of, action potential in transverse tubules and its role in, 257
Muscles, insect flight, calcium-dependent myosin from, 553
Myosin, calcium-dependent, from insect flight muscles, 553

N

Neuromuscular junction, cyclic adenosine monophosphate link in catecholamine enhancement of transmitter release at, 609
Neurons, carp retinal, frequency characteristics, 214
Nonlinearity in inhibitory interactions in lateral eye of *Limulus*, 579

O

Opening and closing of activation gates of sodium channels, charge movement associated with, 533
— and closing of individual excitability-inducing material channels in lipid bilayer, kinetics of, 707

P

Pacinian corpuscle, role of sympathetic innervation of, 601
Passive electrical properties of frog skeletal muscle fibers, circuit models of, 432
Peptide PV, effect of, on ionic permeability of lipid bilayer membranes, 492
Permeability, ionic, of lipid bilayer membranes, effect of peptide PV on, 492
Phases, lamellar, lecithin-water, ion diffusion selectivity in, 690
Phosphatase, calcium-adenosine tri-, and sodium, potassium-ATPase in human red cell ghosts, electrophoretic separation of different phosphoproteins associated with, 324
Phosphate, cyclic adenosine mono-, link in catecholamine enhancement of transmitter release at neuromuscular junction, 609
—, magnesium adenosine tri-, concentration, calcium-activated tension of skinned muscle fibers of frog, dependence on, 722

Phosphoprotein of human red blood cells, sodium:potassium pump-associated, chemical characterization and Pronase susceptibility, 305
Phosphoproteins associated with calcium-ATPase and sodium,potassium-ATPase in human red cell ghosts, electrophoretic separation of different, 324
Photopigment, *Phycomyces*, linear dichroism and orientation, 1
Photoproduct, long-lived, long-wavelength, of fly visual pigment, fast electrical potential from, 740
Photoreceptors, *Limulus* ventral, ionic dependence of reversal voltage of light response in, 337
Phycomyces photopigment, linear dichroism and orientation, 1
Pigment, fly visual, fast electrical potential from long-lived, long-wavelength photoproduct of, 740
— migration and adaptation in eye of squid, *Loligo pealei*, 22
Pigments, visual, of goldfish cones, spectral properties and dichroism, 279
Plexiform layer, inner, lateral interactions, control of retinal sensitivity, 88
— layer, outer, lateral interactions, control of retinal sensitivity, 62
Potassium, intracellular, a determinant of sodium-potassium pump rate, 351
—, sodium-ATPase and calcium-ATPase in human red cell ghosts, electrophoretic separation of different phosphoproteins associated with, 324
—, sodium, and cardioactive steroids, external, interaction with sodium-potassium pump of human red blood cell, 123
Potassium:sodium pump in goat red blood cells, antibody-induced alterations in kinetic characteristics of, 389
—-sodium pump rate, intracellular potassium, a determinant of, 351
—:sodium pump-associated phosphoprotein of human red blood cells, chemical characterization and Pronase susceptibility, 305
Pronase susceptibility and chemical characterization of the sodium:potassium pump-associated phosphoprotein of human red blood cells, 305
Pump, sodium-potassium, in goat red blood cells, antibody-induced alterations in kinetic characteristics of, 389
—, sodium-potassium, of human red blood cell, interaction of external potassium, sodium, and cardioactive steroids with, 123
Pump rate, sodium-potassium, intracellular potassium, a determinant of, 351
Pump-associated phosphoprotein of human red blood cells, sodium:potassium, chemical characterization and Pronase susceptibility, 305
PV, peptide, effect of, on ionic permeability of lipid bilayer membranes, 492

R

Red blood cells. *See* Erythrocytes.
Retinal neurons in carp, frequency characteristics, 214
—sensitivity, control of, lateral interactions at inner plexiform layer, 88
— sensitivity, control of, lateral interactions at outer plexiform layer, 62
— sensitivity, control of, light and dark adaptation of vertebrate rods and cones, 37
Reversal voltage of light response in *Limulus* ventral photoreceptors, ionic dependence of, 337
Rods and cones, vertebrate, light and dark adaptation, control of retinal sensitivity, 37

S

Selectivity, ion diffusion, in lecithin-water lamellar phases, 690
Sensitivity, retinal, control of, lateral interactions at inner plexiform layer, 88
—, retinal, control of, lateral interactions at the outer plexiform layer, 62
—, retinal, control of, light and dark adaptation of vertebrate rods and cones, 37
Skeletal muscle, activation of, action potential in transverse tubules and its role in, 257
— muscle fibers, frog, circuit models of passive electrical properties of, 432
— muscle fibers, frog, in various solutions, impedance of, 460
— muscle, frog, contractile activation in, 657
Skinned muscle fibers of frog, calcium-activated tension of, dependence on magnesium adenosine triphosphate, 722
— muscle fibers, ionic strength, and contraction kinetics of, 509
— frog muscle fibers, longitudinal impedance of, 625

Sodium channels, charge movement associated with opening and closing of activation gates of, 533
—, potassium-ATPase and calcium-ATPase in human red cell ghosts, electrophoretic separation of different phosphoproteins associated with, 324
—, potassium, and cardioactive steroids, external, interaction with sodium-potassium pump of human red blood cell, 123
Sodium:potassium pump in goat red blood cells, antibody-induced alterations in kinetic characteristics of, 389
—:potassium pump-associated phosphoprotein of human red blood cells, chemical characterization and Pronase susceptibility, 305
Steroids, cardioactive, potassium, and sodium, external, interaction with sodium-potassium pump of human red blood cell, 123
Strontium, calcium, and barium in barnacle muscle fiber during voltage clamp, membrane currents carried by, 564
Sucrose-gap, double, method applied to single muscle fiber of *Xenopus laevis*, 235
Susceptibility, Pronase, and chemical characterization of the sodium:potassium pump-associated phosphoprotein of human red blood cells, 305
Sympathetic innervation of pacinian corpuscle, role of, 601

T

Tension, calcium-activated, of skinned muscle fibers of frog, dependence on magnesium adenosine triphosphate concentration, 722
— development and calcium binding in detergent-treated muscle fibers, 168
Three-compartment system, evidence in favor of, intestinal transport of weak electrolytes, 187
Transmitter release at neuromuscular junction, cyclic adenosine monophosphate link in catecholamine enhancement of, 609
Transverse tubules, action potential in, its role in activation of skeletal muscle, 257
Triphosphatase, calcium-adenosine, and sodium, potassium-ATPase in human red blood cell ghosts, electrophoretic separation of different phosphoproteins associated with, 324
Triphosphate, magnesium adenosine, concentration, calcium-activated tension of skinned muscle fibers of frog, dependence on, 722
Tubules, transverse, action potential in, and its role in activation of skeletal muscle, 257

V

Vertebrate rods and cones, light and dark adaptation, control of retinal sensitivity, 37
Visual pigment, fly, fast electrical potential from long-lived, long-wavelength photoproduct of, 740
— pigments of goldfish cones, spectral properties and dichroism, 279

W

Water, lecithin-, lamellar phases, ion difusion selectivity in, 690
Wavelength-long, long-lived photoproduct of fly visual pigment, fast electrical potential from, 740

X

Xenopus laevis, single muscle fiber of, double sucrose-gap method applied to, 235

THE JOURNAL OF GENERAL PHYSIOLOGY

FOUNDED BY JACQUES LOEB

Honorary Editors

L. R. BLINKS
DETLEV W. BRONK
ALFRED E. MIRSKY
JOHN H. NORTHROP

Editor

PAUL F. CRANFIELD

Editorial Board

VINCENT ALLFREY
FRANCIS D. CARLSON
C. M. CONNELLY
PETER F. CURRAN
PHILIP B. DUNHAM
ROBERT S. EISENBURG
PAUL HOROWICZ
WILLIAM P. HURLBUT
DAVID MAUZERALL
L. J. MULLINS
RICHARD J. PODOLSKY
FLOYD RATLIFF
ASER ROTHSTEIN
STANLEY G. SCHULTZ
A. K. SOLOMON
ANDREW G. SZENT-GYORGYI
ROGER C. THOMAS
ANNEMARIE WEBER
VICTOR J. WILSON

VOLUME 63 · THE JOURNAL OF GENERAL PHYSIOLOGY IS
THE OFFICIAL ORGAN OF THE SOCIETY OF GENERAL PHYSIOLOGISTS
AND IS EDITED IN COOPERATION WITH THE SOCIETY
THE ROCKEFELLER UNIVERSITY PRESS · NEW YORK 1974

COPYRIGHT © 1974 BY THE ROCKEFELLER UNIVERSITY PRESS

CONTENTS OF VOLUME 63

NUMBER 1, JANUARY, 1974

1 A. J. JESAITIS. Linear dichroism and orientation of the *Phycomyces* photopigment

22 N. W. DAW and A. L. PEARLMAN. Pigment migration and adaptation in the eye of the squid, *Loligo pealei*

37 RICHARD A. NORMANN and FRANK S. WERBLIN. Control of retinal sensitivity. I. Light and dark adaptation of vertebrate rods and cones

62 FRANK S. WERBLIN. Control of retinal sensitivity. II. Lateral interactions at the outer plexiform layer

88 FRANK S. WERBLIN and DAVID R. COPENHAGEN. Control of retinal sensitivity. III. Lateral interactions at the inner plexiform layer

111 O. D. UCHITEL and H. GARCÍA. Muscle contraction during hyperpolarizing currents in the crab

NUMBER 2, FEBRUARY, 1974

123 JOHN R. SACHS. Interaction of external K, Na, and cardioactive steroids with the Na-K pump of the human red blood cell

144 J. M. RUSSELL and M. P. BLAUSTEIN. Calcium efflux from barnacle muscle fibers. Dependence on external cations

168 M. ORENTLICHER, J. P. REUBEN, H. GRUNDFEST, and P. W. BRANDT. Calcium binding and tension development in detergent-treated muscle fibers

187 MICHAEL J. JACKSON, YIH-FU SHIAU, SUSAN BANE, and MARGARET FOX. Intestinal transport of weak electrolytes. Evidence in favor of a three-compartment system

214 JUN-ICHI TOYODA. Frequency characteristics of retinal neurons in the carp

235 SHIGEHIRO NAKAJIMA and JOSEPH BASTIAN. Double sucrose-gap method applied to single muscle fiber of *Xenopus laevis*

257 JOSEPH BASTIAN and SHIGEHIRO NAKAJIMA. Action potential in the transverse tubules and its role in the activation of skeletal muscle

NUMBER 3, MARCH, 1974

279 FERENC I. HÁROSI and EDWARD F. MACNICHOL, JR. Visual pigments of goldfish cones. Spectral properties and dichroism

305 PHILIP A. KNAUF, FULGENCIO PROVERBIO, and JOSEPH F. HOFFMAN. Chemical characterization and Pronase susceptibility of the Na:K pump-associated phosphoprotein of human red blood cells

324 PHILIP A. KNAUF, FULGENCIO PROVERBIO, and JOSEPH F. HOFFMAN. Electrophoretic separation of different phosphoproteins associated with Ca-ATPase and Na, K-ATPase in human red cell ghosts

337 J. E. Brown and M. I. Mote. Ionic dependence of reversal voltage of the light response in *Limulus* ventral photoreceptors

351 Anne B. Knight and Louis G. Welt. Intracellular potassium. A determinant of the sodium-potassium pump rate

374 Masahisa Nakamura and Ikuo Yasumasu. Mechanism for increase in intracellular concentration of free calcium in fertilized sea urchin egg. A method for estimating intracellular concentration of free calcium

NUMBER 4, APRIL, 1974

389 John R. Sachs, J. Clive Ellory, Donna L. Kropp, Philip B. Dunham, and Joseph F. Hoffman. Antibody-induced alterations in the kinetic characteristics of the Na:K pump in goat red blood cells

415 Hiroshi Washio. Effect of external calcium and of temperature on contraction in snake muscle fibers

432 R. Valdiosera, C. Clausen, and R. S. Eisenberg. Circuit models of the passive electrical properties of frog skeletal muscle fibers

460 R. Valdiosera, C. Clausen, and R. S. Eisenberg. Impedance of frog skeletal muscle fibers in various solutions

492 H. P. Ting-Beall, M. T. Tosteson, B. F. Gisin, and D. C. Tosteson. Effect of peptide PV on the ionic permeability of lipid bilayer membranes

509 Marc D. Thames, Louis E. Teichholz, and Richard J. Podolsky. Ionic strength and the contraction kinetics of skinned muscle fibers

NUMBER 5, MAY, 1974

533 Clay M. Armstrong and Francisco Bezanilla. Charge movement associated with the opening and closing of the activation gates of the Na channels

553 William Lehman, Belinda Bullard, and Kathleen Hammond. Calcium-dependent myosin from insect flight muscles

564 Susumu Hagiwara, Jun Fukuda, and Douglas C. Eaton. Membrane currents carried by Ca, Sr, and Ba in barnacle muscle fiber during voltage clamp

579 Robert B. Barlow, Jr. and G. David Lange. A nonlinearity in the inhibitory interactions in the lateral eye of *Limulus*

590 Erik J. Olson and Ralph J. Cazort. Investigation of the accompaniment of calcium during active calcium transport from human erythrocyte ghosts

601 Joel D. Schiff. Role of the sympathetic innervation of the pacinian corpuscle

609 Michael D. Miyamoto and Bruce McL. Breckenridge. A cyclic adenosine monophosphate link in the catecholamine enhancenent of transmitter release at the neuromuscular junction

625 Bert A. Mobley, J. Leung, and R. S. Eisenberg. Longitudinal impedance of skinned frog muscle fibers

NUMBER 6, JUNE, 1974

639 JOHN T. VAN BRUGGEN, JUNE D. BOYETT, ANTONIA L. VAN BEUREN, and WILLIAM R. GALEY. Solute flux coupling in a homopore membrane

657 L. L. COSTANTIN. Contractile activation in frog skeletal muscle

675 TED BEGENISICH and CARL LYNCH. Effects of internal divalent cations on voltage-clamped squid axons

690 Y. LANGE and C. M. GARY BOBO. Ion diffusion selectivity in lecithin-water lamellar phases

707 GERALD EHRENSTEIN, ROBERT BLUMENTHAL, RAMON LATORRE, and HAROLD LECAR. Kinetics of the opening and closing of individual excitability-inducing material channels in a lipid bilayer

722 ROBERT E. GODT. Calcium-activated tension of skinned muscle fibers of the frog. Dependence on magnesium adenosine triphosphate concentration

740 WILLIAM L. PAK and KELLIE J. LIDINGTON. Fast electrical potential from a long-lived, long-wavelength photoproduct of fly visual pigment

757 RICHARD MALCOLM. A mechanism by which the hair cells of the inner ear transduce mechanical energy into a modulated train of action potentials

773 INDEXES TO VOLUME 63